

FOREST SERIES DESKS

The FOREST series is designed for those who enjoy a creative and inspiring working environment or simply work from a home office.






FOREST Desk



FOREST Benching System (Double) / Natural Oak Veneer Partition



FOREST Benching System (Four Workstations) / Natural Oak Veneer Partition

DESK TOP

- / 18 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Desks with cut-out for power hub
- / Benches with access to cable management

LEGS

- / Natural oak wood legs
- / Adjustable feet. Can be adjusted up to 10 mm



FRAME

- / Natural oak wood
- / Metal profile 50x25 mm. Powder coated




SCREEN

- / 19 mm natural oak veneer
- / 18mm chipboard. Thermo-bonded wadding. Fabric
- / Attached to the desk top with two metal brackets




METAL TRAY

- / Attached to the desk top. Powder coated




↑ Single metal tray




↑ Double metal tray







FS16L 1600 800 750
FS18L 1800 800 750




FS16R 1600 800 750
FS18R 1800 800 750




FS26 1600 1600 750



FS46 3240 1600 750



FFP5 1460 18 320
FTP5 1460 22 320



FFP6 1460 18 320
FTP6 1460 22 320

METAL



W3
RAL 9003 white,
smooth matt

MFC



1
W10003VV White,
Pfleiderer



2
U708 ST9 Light Grey,
Egger

NATURAL VENEER




VO
Oak veneer,
varnished

SOLID WOOD




SO
Solid Oak,
varnished


FABRIC Viggo



10 Sugar




36 Cinnamon



3 Avocado



5 Curry



11 Rose hip



51 Lilac



32 Soda



2 Indigo



17 Tin



7 Graphite

Manufacturer	Composition	Width	Abrasion resistance	Weight	Pilling	Flammability
Nevotex	93% Polyester 5% Cotton 2% Nylon	140 cm	78 700 MD	300 g/m²	4	BS 5852:1979 part 1 EN 1021 1:2014