



I-TON SERIES DESKS

The I-TON office furniture system offers pure design, minimalism and functionality. Comfortable workstations can be created by combining the collection in many different ways.






I-TON Desk / Modesty Panel



I-TON Desk / Acoustic Screen



I-TON Benching System (Double) / Acoustic Screen / Integrated Drawers



I-TON Benching System (Four Workstations) / Acoustic Screens / Integrated Drawers

DESK TOP

- / 25 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Desks with cut-out for power hub
- / Benches with access to cable management

LEGS

- / Metal profile 50x25 mm. Powder coated
- / Adjustable feet. Can be adjusted up to 10 mm

METAL FRAME



- / Fixed length. Metal profile 40x10 mm. Powder coated

SUPPORTS

- / Metal tube Ø 16 mm. Powder coated


INSERT

- / 18 mm chipboard. Thermo-bonded wadding. Fabric
- / Attached to the frame



METAL TRAY

- / Attached to the desk top. Powder coated



↑ Single metal tray



↑ Double metal tray

UNDER DESK CABINET

- / 18 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Attached to the frame
- / Metabox rails, white
- / Central locking



Aluminium handle ↑



Under desk cabinet ↑

MODESTY PANEL


- / 18 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging




SCREEN

- / 18 mm chipboard. Thermo-bonded wadding. Fabric







T20RL	1430	1100	745
T21RL	1650	1100	745
T22RL	1850	1100	745




T20RR	1430	1100	745
T21RR	1650	1100	745
T22RR	1850	1100	745




T10R	1430	793	745
T11R	1650	793	745
T12R	1850	793	745




T06R	1430	793	745
T07R	1650	793	745
T08R	1850	793	745




T1.80	800	243	150
T1.100	1000	243	150




T2.80	800	512	150
T2.100	1000	512	150




T30R	1430	1570	745
T31R	1650	1570	745
T32R	1850	1570	745




T33R	2810	1570	745
T34R	3250	1570	745
T35R	3650	1570	745




T36R	2810	1570	1120
T37R	3250	1570	1120
T38R	3650	1570	1120




T90R	4190	1570	745
T91R	4850	1570	745
T92R	5450	1570	745




T93R	4190	1570	1120
T94R	4850	1570	1120
T95R	5450	1570	1120




TK01	420	635	450
------	-----	-----	-----




TX14R	1330	22	375
TX16R	1550	22	375
TX18R	1750	22	375




TX24	1380	22	750
TX26	1600	22	750
TX28	1800	22	750




TIX02	1520	22	350
-------	------	----	-----



TRSL	800	500	745
------	-----	-----	-----



TRSR	800	500	745
------	-----	-----	-----



TK02	420	635	450
------	-----	-----	-----

METAL



W3
RAL 9003 white,
smooth matt



G6
RAL 9006, metallic



G2
RAL 7012 basalt
grey, smooth matt



B
RAL 9005 black,
smooth matt

MFC



1
W10003VV White,
Pfleiderer



2
U708 ST9 Light Grey,
Egger



7
U12290MP
Anthracite,
Pfleiderer



8
3025 SN Light
Sonoma Oak,
Kronospan




6
R20119LN American
Oak, Pfleiderer




9
R20168 LN
Sherwood Mocca,
Pfleiderer


FABRIC Viggo



10 Sugar



36 Cinnamon



3 Avocado



5 Curry



11 Rose hip



51 Lilac




32 Soda



2 Indigo



17 Tin



7 Graphite

Manufacturer	Composition	Width	Abrasion resistance	Weight	Pilling	Flammability
Nevotex	93% Polyester 5% Cotton 2% Nylon	140 cm	78 700 MD	300 g/m²	4	BS 5852:1979 part 1 EN 1021 1:2014



I-TON Executive Desk / Modesty Panel, Panel Side Legs / Three-Drawer Integrated Cabinet

DESK TOP

- / 25 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Desks with access to cable management

LEGS

- / Metal profile 50x25 mm. Powder coated
- / Adjustable feet. Can be adjusted up to 10 mm

METAL FRAME

- / Fixed length. Metal profile 40x10 mm. Powder coated

SUPPORTS

- / Metal tube Ø 16 mm. Powder coated

MODESTY PANEL

- / 18 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Attached to the frame with two metal brackets

INSERT

- / 18 mm chipboard. Thermo-bonded wadding. Fabric
- / Attached to the frame

UNDER DESK CABINET

- / 18 mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Attached to the frame
- / Metabox rails, white
- / Central locking

Aluminium handle ↑


Under desk cabinet ↑

EXTENTION


- / Desk Top and Leg 25mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging
- / Shelves 18mm Melamine Faced Chipboard (MFC) with 2 mm ABS edging

METAL TRAY


- / Attached to the desk top.
- Powder coated




T01R 1650 1150 745
T02R 1850 1150 745




TRSL 800 500 745



TRSR 800 500 745



TK01 420 635 450




TK02 420 635 450

METAL



W3
RAL 9003 white,
smooth matt



G6
RAL 9006, metallic



G2
RAL 7012 basalt
grey, smooth matt




B
RAL 9005 black,
smooth matt

MFC



1
W10003VV White,
Pfleiderer



2
U708 ST9 Light Grey,
Egger



7
U12290MP
Anthracite,
Pfleiderer



8
3025 SN Light
Sonoma Oak,
Kronospan



6
R20119LN American
Oak, Pfleiderer



9
R20168 LN
Sherwood Mocca,
Pfleiderer